

# Iridium Extreme 9575PTT



**Brand:** IRIDIUM  
**Product Code:** 11-103\_FPKT1901  
**Availability:** upon request

**Price: Fr. 2095.00**

**Ex Tax: Fr. 1938.02**

## Short Description

The waterproof and impact-resistant Iridium satellite phone with emergency call function and push to talk function for extreme missions around the globe.

## Description

The waterproof and impact-resistant Iridium satellite phone with emergency call function for extreme missions around the globe.

Special feature: The 9575 PTT is equipped with a push-to-talk function (talk button), which allows to establish a kind of radiotelephone connection to other participants of a closed group via satellite. A special contract is required for this.

A suitable Iridium SIM card is required for operation:

- Iridium postpaid SIM with monthly subscription
- Iridium Prepaid SIM with credit

Select the appropriate SIM card under "Accessories and similar products"!

Translated with [www.DeepL.com/Translator](http://www.DeepL.com/Translator) (free version)

## Lieferumfang

- Battery 2'300 mAh

- Travel charger for mains operation incl. 5 adapters
- Mobile charger with lighter plug
- Protective cover
- USB data cable
- User Manual (English only)
- Quick Start Guide
- CD-ROM with software
- Accessory adapter (2x)
- Magnetic vehicle antenna with 1.5m cable
- Hand-free set with earphone and microphone

## Specifications

Communication specs	
Antenna type	Teleskop ausziehbar
Coverage	weltweit
Data transmission	2400 bit/s (komprimiert 9600 bit/s
Frequency range	1616.0 - 1626.5 MHz
Provider	Iridium
Stand by time max.	30 h
Talking time max.	4 h
Construction / technical data	
Data connection	Mini-USB
DC power voltage	10-32 V=
Dimensions LxWxD	140 x 60 x 27 mm
Display type	LCD
Main power voltage	110-240 V~
Weight	247 g
Environmental conditions	
Charging temperatures	0 °C bis +45 °C
Leak tightness	IP65
Max. absolute altitude	12'192 m.ü.M = 40'000 ft
Technical standards	MIL-STD 810F
Temperature range	-65 °C bis +71 °C

## Product Gallery

